



Unless otherwise specified, all values are as follows: resistor values are in Ohms, i.e. 0R47, 5R6, 220, 5K6, 22K capacitor values are in Microfarads, i.e. 220p, 0u1, 2u2, 33 inductor values are in Microhenries, i.e. 0u22, 5u6, 68, 2m2		PCB Name: <i>PCB Name</i>		Title	
		PCB Nr.: <i>PCB Nr.</i>		Used in	
This drawing is our property. Duplication, unauthorized use of any kind is prohibited.		PCB Type:		Scale:	
		Change Index		Change Notification Nr.	
Without Approval use only for inquiry.		Date		Name	
		15-Oct-2014		Author	
Approval:		Modified		Checked	
		Prototype		Production	
		BOM Done?			

PCB Name: <i>PCB Name</i>		Title	
PCB Nr.: <i>PCB Nr.</i>		Used in	
PCB Type:		Scale:	
Change Index		Change Notification Nr.	
Date		Name	
15-Oct-2014		Author	
Modified		Checked	
Prototype		Production	
BOM Done?			

Used in		Repl.for		Build No.	
Drw. Type:		Prj. Nr.		PRJ. No	
Size: A3		Rev:		Drw. Nr	
File: I2C_Breadbrd.sch		Sheet 0 of 0			