



Unless otherwise specified, all values are as follows: resistor values are in Ohms, i.e. 0R47, 5R6, 220, 5K6, 22K capacitor values are in Microfarads, i.e. 220p, 0u1, 2u2, 33 inductor values are in Microhenries, i.e. 0u22, 5u6, 68, 2m2		PCB Name: KONSTANTER		Title: KONSTANTER 0-20V 1A MAX	
		PCB Nr.: 6000-0021		Used in: <i>Klein Netzgeraet</i>	
This drawing is our property. Duplication, unauthorized use of any kind is prohibited. Without Approval use only for inquiry.		PCB Type: <i>FR4 1L 0SM 0LL 1.6mm</i>		Scale: <i>SCH</i>	
		Approval: _____ Date: <i>27-Jan-2015</i> Name: <i>GJO</i>		Repl. for: <i>N/A</i> Build No.: <i>1</i>	
Drawn: _____ Modified: _____ Checked: _____ <input checked="" type="checkbox"/> Prototype <input type="checkbox"/> Production <input type="checkbox"/> BOM Done?		Change Index: _____ Change Notification Nr.: _____ Date: _____ Name: _____		Drw. Type: <i>PCB SCHEMATIC</i> Prj. Nr: <i>15005G</i>	
		Size: A3 Rev: 2.02		Drw. Nr: <i>4415-0021</i>	
		File: <i>Simple_LNG_R1.sch</i>		Sheet <i>1</i> of <i>1</i>	