



Unless otherwise specified, all values are as follows: resistor values are in Ohms, i.e. 0R47, 5R6, 220, 5K6, 22K capacitor values are in Microfarads, i.e. 220p, 0u1, 2u2, 33 inductor values are in Microhenries, i.e. 0u22, 5u6, 68, 2m2		PCB Name: KONSTANTER		Title: KONSTANTER 0-30V 1A MAX	
This drawing is our property. Duplication, unauthorized use of any kind is prohibited. Without Approval use only for inquiry.		PCB Nr.: 6000-0021		Used in: <i>Klein Netzgeraet</i>	
Approval:		PCB Type: <i>FR4 1L OSM OLL 1.6mm</i>		Repl.for: <i>N/A</i>	
Date: <i>28-Jan-2015</i>		Scale: <i>SCH</i>		Build No. <i>1</i>	
Name: <i>GJO</i>		Change Index:		Prj. Nr. <i>15005G</i>	
Modified:		Change Notification Nr.:		Drw. Type: <i>PCB SCHEMATIC</i>	
Checked:		Date:		Size: A3	
<input checked="" type="checkbox"/> Prototype <input type="checkbox"/> Production <input type="checkbox"/> BOM Done?		Name:		Rev: 1.02	
				Drw. Nr. <i>4415-0021</i>	
				File: <i>Simple_LNG.sch</i>	
				Sheet <i>1</i> of <i>1</i>	