


A 34 (Ø 4 × 24)



R 51 (Ø 4 × 24)




F 74/75  
(Ø 9,4 × 9,5)

Typ	Widerstands-wert kΩ	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
	R <sub>20</sub>	Q63034-							
A34-2/30 a	5 <sup>1)</sup>	-A1-J	8347	6,45	5,45	4,51	4,03	3,54	3,22
A34-2/30 b	5 <sup>1)</sup>	-A1-M	8348	6,45	5,45	4,51	4,03	3,54	3,22
A34-6/40	6 <sup>2)</sup>	-A4	72058	7,15	6,05	5,—	4,46	3,93	3,57
A34-4/20	15 <sup>1)</sup>	-A2	72059	7,80	6,60	5,45	4,86	4,28	3,89
A34-5/15	40 <sup>1)</sup>	-A3	7130	7,80	6,60	5,45	4,86	4,28	3,89
A34-10/25	40 <sup>2)</sup>	-A6	7133	6,20	5,25	4,33	3,86	3,40	3,09
A34-14/30	40 <sup>2)</sup>	-A7	7134	7,80	6,60	5,45	4,86	4,28	3,89
A34-7/10	100 <sup>1)</sup>	-A5	7131	7,80	6,60	5,45	4,86	4,28	3,89
A34-25/18	200 <sup>2)</sup>	-A8	72060	7,80	6,60	5,45	4,86	4,28	3,89
		Q63074-							
F74-35/15 x	5 <sup>2)</sup>	-F2	8357	33,60	28,60	23,50	21,—	18,50	16,80
F74-51/25 x	100 <sup>2)</sup>	-F1	8358	33,60	28,60	23,50	21,—	18,50	16,80
		Q63075-							
F75-34/14 u	4 <sup>2)</sup>	-F9	8359	23,80	20,20	16,70	14,90	13,10	11,90
F75-34/14 x	4 <sup>2)</sup>	-F1	8360	33,60	28,60	23,50	21,—	18,50	16,80
F75-41/21 u	10 <sup>2)</sup>	-F2	8362	23,80	20,20	16,70	14,90	13,10	11,90
F75-41/21 x	10 <sup>2)</sup>	-F3	8361	33,60	28,60	23,50	21,—	18,50	16,80
F75-46/23 u	60 <sup>2)</sup>	-F4	8363	23,80	20,20	16,70	14,90	13,10	11,90
F75-46/23 x	60 <sup>2)</sup>	-F5	8560	33,60	28,60	23,50	21,—	18,50	16,80
F75-54/32 u	400 <sup>2)</sup>	-F6	8364	23,80	20,20	16,70	14,90	13,10	11,90
F75-54/32 x	400 <sup>2)</sup>	-F7	8561	33,60	28,60	23,50	21,—	18,50	16,80
F75-54/32 s	400 <sup>1)</sup>	-F8	72061	22,20	18,90	15,50	13,90	12,20	11,10
		Q63051-							
R51-4/1 /20 b	10 <sup>2)</sup>	-R5	8451	10,70	9,10	7,50	6,70	5,90	5,35
R51-4/1 /20 c	10 <sup>3)</sup>	-R6	8452	16,—	13,60	11,20	10,—	8,80	8,—
R51-4/1 /20 d	10 <sup>4)</sup>	-R7	8453	32,—	27,20	22,40	20,—	17,60	16,—
R51-8/0,5/10 b	40 <sup>2)</sup>	-R1	8454	10,70	9,10	7,50	6,70	5,90	5,35
R51-8/0,5/10 c	40 <sup>3)</sup>	-R2	8455	16,—	13,60	11,20	10,—	8,80	8,—
R51-8/0,5/10 d	40 <sup>4)</sup>	-R3	8456	32,—	27,20	22,40	20,—	17,60	16,—

<sup>1)</sup> Toleranz ± 30%  
<sup>2)</sup> Toleranz ± 20%  
<sup>3)</sup> Toleranz ± 10%  
<sup>4)</sup> Toleranz ± 5%

Die Preisangaben sind ohne Mehrwertsteuer, bei Wiederverkauf nur unverbindliche Preisempfehlungen.



K 11 (Ø 6 × 12,5)

Typ	Widerstands-wert Ω	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
	R <sub>20</sub>	Q63011-							
K11/20%/10Ω	10	-K100-M	8390	4,12	3,50	2,88	2,58	2,27	2,06
K11/10%/20Ω	20	-K200-K	8376	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/20Ω	20	-K200-M	8648	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/50Ω	50	-K500-J	8365	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/50Ω	50	-K500-K	8377	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/50Ω	50	-K500-M	8391	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/100Ω	100	-K101-J	8366	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/100Ω	100	-K101-K	8378	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/100Ω	100	-K101-M	8649	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/200Ω	200	-K201-J	8367	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/200Ω	200	-K201-K	8379	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/200Ω	200	-K201-M	8650	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/500Ω	500	-K501-J	8368	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/500Ω	500	-K501-K	8380	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/500Ω	500	-K501-M	8392	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5% 1 kΩ	1 k	-K102-J	8369	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/1 kΩ	1 k	-K102-K	8382	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/1 kΩ	1 k	-K102-M	8393	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/2 kΩ	2 k	-K202-J	8370	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/2 kΩ	2 k	-K202-K	8383	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/2 kΩ	2 k	-K202-M	8394	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/5 kΩ	5 k	-K502-J	8371	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/5 kΩ	5 k	-K502-K	8384	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/5 kΩ	5 k	-K502-M	8395	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/10 kΩ	10 k	-K103-J	8372	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/10 kΩ	10 k	-K103-K	8385	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/10 kΩ	10 k	-K103-M	8396	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/20 kΩ	20 k	-K203-J	8373	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/20 kΩ	20 k	-K203-K	8386	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/20 kΩ	20 k	-K203-M	8651	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/50 kΩ	50 k	-K503-J	8374	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/50 kΩ	50 k	-K503-K	8387	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/50 kΩ	50 k	-K503-M	8652	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/100kΩ	100 k	-K104-J	8375	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/100kΩ	100 k	-K104-K	8388	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/100kΩ	100 k	-K104-M	8397	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/200kΩ	200 k	-K204-J	72062	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/200kΩ	200 k	-K204-K	72063	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/200kΩ	200 k	-K204-M	72064	4,12	3,50	2,88	2,58	2,27	2,06
K11/ 5%/500kΩ	500 k	-K504-J	72065	9,95	8,45	6,95	6,20	5,45	4,97
K11/10%/500kΩ	500 k	-K504-K	8389	5,20	4,42	3,64	3,25	2,86	2,60
K11/20%/500kΩ	500 k	-K504-M	8398	4,12	3,50	2,88	2,58	2,27	2,06


Die Preisangaben sind ohne Mehrwertsteuer, bei Wiederverkauf nur unverbindliche Preisempfehlungen.

Heißeiter

K 13, K 15, K 17



K 13 (∅16×8)



K 15 (∅8×3,8)



K 17 (∅3×17)

Typ	Widerstands-wert Ω	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
	R <sub>20</sub>	Q63013-							
K13/10%/50Ω	50	-K500-K	72066	15,10	12,80	10,60	9,45	8,30	7,55
K13/10%/200Ω	200	-K201-K	72067	15,10	12,80	10,60	9,45	8,30	7,55
K13/10%/2kΩ	2 k	-K202-K	72068	15,10	12,80	10,60	9,45	8,30	7,55
K13/10%/50kΩ	50 k	-K503-K	72069	15,10	12,80	10,60	9,45	8,30	7,55
		Q63015-							
K15/20%/4Ω	4	-K40-M	72070	2,06	1,75	1,44	1,29	1,13	1,03
K15/20%/50Ω	50	-K500-M	72071	2,06	1,75	1,44	1,29	1,13	1,03
K15/20%/150Ω	150	-K151-M	72072	2,06	1,75	1,44	1,29	1,13	1,03
K15/20%/500Ω	500	-K501-M	72073	2,06	1,75	1,44	1,29	1,13	1,03
K15/20%/2kΩ	2 k	-K202-M	72074	2,06	1,75	1,44	1,29	1,13	1,03
K15/20%/5kΩ	5 k	-K502-M	72075	2,06	1,75	1,44	1,29	1,13	1,03
		Q63017-							
K17/10%/2,5kΩ	2,5 k	-K252-K	7103	29,20	24,80	20,40	18,30	16,10	14,60
K17/10%/4kΩ	4 k	-K402-K	8410	29,20	24,80	20,40	18,30	16,10	14,60
K17/10%/4kΩ/P1	4 k	-K402-K1	72076	30,40	25,80	21,30	19,—	16,70	15,20
K17/10%/4kΩ/P2	4 k	-K402-K2	72077	33,—	28,10	23,10	20,60	18,20	16,50
K17/10%/10kΩ	10 k	-K103-K	8412	29,20	24,80	20,40	18,30	16,10	14,60
K17/10%/10kΩ/P1	10 k	-K103-K1	72078	30,40	25,80	21,30	19,—	16,70	15,20
K17/10%/10kΩ/P2	10 k	-K103-K2	72079	33,—	28,10	23,10	20,60	18,20	16,50
K17/10%/100kΩ	100 k	-K104-K	8411	29,20	24,80	20,40	18,30	16,10	14,60
K17/10%/100kΩ/P1	100 k	-K104-K1	72080	30,40	25,80	21,30	19,—	16,70	15,20
K17/10%/100kΩ/P2	100 k	-K104-K2	72081	33,—	28,10	23,10	20,60	18,20	16,50
K17/20%/2,5kΩ	2,5 k	-K252-M	72082	15,60	13,30	10,90	9,75	8,60	7,80
K17/20%/4kΩ	4 k	-K402-M	8414	15,60	13,30	10,90	9,75	8,60	7,80
K17/20%/4kΩ/P1	4 k	-K402-M1	72083	16,80	14,30	11,80	10,50	9,25	8,40
K17/20%/4kΩ/P2	4 k	-K402-M2	72084	19,30	16,40	13,50	12,10	10,60	9,65
K17/20%/10kΩ	10 k	-K103-M	8415	15,60	13,30	10,90	9,75	8,60	7,80
K17/20%/10kΩ/P1	10 k	-K103-M1	72085	16,80	14,30	11,80	10,50	9,25	8,40
K17/20%/10kΩ/P2	10 k	-K103-M2	72086	19,30	16,40	13,50	12,10	10,60	9,65
K17/20%/100kΩ	100 k	-K104-M	8416	15,60	13,30	10,90	9,75	8,60	7,80
K17/20%/100kΩ/P1	100 k	-K104-M1	72087	16,80	14,30	11,80	10,50	9,25	8,40
K17/20%/100kΩ/P2	100 k	-K104-M2	72088	19,30	16,40	13,50	12,10	10,60	9,65

Die Preisangaben sind ohne Mehrwertsteuer, bei Wiederverkauf nur unverbindliche Preisempfehlungen.

Heißeiter

K 19, K 22, K 29, K 220, K 222, K 228, K 292, K 243



K 19 (∅0,4)




K 220 (∅3,2)



K 22 (∅3,2)



K 220 (∅3,2×1,3)



K 243  
(l×b×h = 18×9×14,5)



K 29/292 (∅1,2×3)




K 222 (∅3,5)


Typ	Widerstands-wert kΩ	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
	R <sub>20</sub>	Q63019-							
K19/10%/12kΩ	12	-K123-K	7112	36,80	31,30	25,80	23,—	20,20	18,40
K19/20%/12kΩ	12	-K123-M	8419	28,60	24,30	20,—	17,90	15,70	14,30
K19/20%/12kΩ/P1	12	-K123-M1	72089	29,40	25,—	20,60	18,40	16,20	14,70
K19/20%/12kΩ/P2	12	-K123-M2	72090	32,20	27,40	22,50	20,10	17,70	16,10
		Q63022-							
K22/20%/1kΩ	1	-K102-M	8420	2,74	2,33	1,92	1,71	1,51	1,37
K22/20%/10kΩ	10	-K103-M	8421	2,74	2,33	1,92	1,71	1,51	1,37
K22/20%/40kΩ	40	-K403-M	8422	2,74	2,33	1,92	1,71	1,51	1,37
K22/20%/250kΩ	250	-K254-M	8423	2,74	2,33	1,92	1,71	1,51	1,37
		Q63029-							
K29/10%/12kΩ	12	-K123-K	7116	32,20	27,40	22,50	20,10	17,70	16,10
K29/10%/12kΩ/P1	12	-K123-K1	72091	33,40	28,40	23,40	20,90	18,40	16,70
K29/10%/12kΩ/P2	12	-K123-K2	72092	35,60	30,30	24,90	22,30	19,60	17,80
K29/20%/12kΩ	12	-K123-M	7113	25,80	21,90	18,10	16,10	14,20	12,90
K29/20%/12kΩ/P1	12	-K123-M1	72093	26,80	22,80	18,80	16,80	14,70	13,40
K29/20%/12kΩ/P2	12	-K123-M2	72094	29,20	24,80	20,40	18,30	16,10	14,60
		Q63022-							
K220/S1/2,5kΩ	2,5 <sup>1)</sup>	-K252-S1	72095	2,44	2,07	1,71	1,53	1,34	1,22
K222/S1/2,5kΩ	2,5 <sup>1)</sup>	-K252-S1	72096	3,70	3,15	2,59	2,31	2,04	1,85
		Q63022-							
	R <sub>25</sub>	Q63022-							
K228/25%/4,7kΩ	4,7	-K8004-N47	72097	1,86	1,58	1,30	1,16	1,02	—,93
K228/25%/25kΩ	25	-K8025-N40	72098	1,86	1,58	1,30	1,16	1,02	—,93
K228/25%/35kΩ	35	-K8035-N40	72099	1,86	1,58	1,30	1,16	1,02	—,93
K228/25%/100kΩ	100	-K8100-N40	72100	1,86	1,58	1,30	1,16	1,02	—,93
		Q63029-							
K292/20%/100kΩ	R <sub>20</sub>	-K2104-M	7123	29,—	24,70	20,30	18,10	16,—	14,50
K292/20%/100kΩ/P1	100	-K2104-M1	7446	31,—	26,40	21,70	19,40	17,10	15,50
		Q63024-							
K243-9,4kΩ	R <sub>-30</sub>	-K3942	7445	4,78	4,06	3,35	2,99	2,63	2,39

<sup>1)</sup> Toleranz ±10%  
<sup>2)</sup> Toleranz ±3,5%

Die Preisangaben sind ohne Mehrwertsteuer, bei Wiederverkauf nur unverbindliche Preisempfehlungen.



K 252 (SW 10 × 5)



K 274 (∅ 10 × 40,5)

Typ	Widerstands-wert kΩ	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
K252/10%/500Ω K252/10%/1kΩ K252/10%/6kΩ K252/10%/40kΩ K252/20%/500Ω K252/20%/1kΩ K252/20%/6kΩ K252/20%/40kΩ	R <sub>20</sub> 0,5	Q63025- -K2501-K	72144	8,20	7,—	5,75	5,15	4,52	4,11
	1	-K2013-K	8445	8,20	7,—	5,75	5,15	4,52	4,11
	6	-K2063-K	8446	8,20	7,—	5,75	5,15	4,52	4,11
	40	-K2044-K	8447	8,20	7,—	5,75	5,15	4,52	4,11
	0,5	-K2501-M	72101	5,10	4,32	3,56	3,18	2,79	2,54
	1	-K2102-M	8448	5,10	4,32	3,56	3,18	2,79	2,54
	6	-K2063-M	8449	5,10	4,32	3,56	3,18	2,79	2,54
	40	-K2044-M	8450	5,10	4,32	3,56	3,18	2,79	2,54
	R <sub>100</sub> 0,331)	Q63027- -K4331-S1	72102	4,94	4,20	3,46	3,09	2,72	2,47

1) Toleranz ± 5%



M 81/85/812 (∅ 1,5 × 5)

Typ	Widerstands-wert Ω	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
M81/10%/10kΩ M81/20%/10kΩ	R <sub>20</sub> 10	Q63081- -M103-K	8728	14,50	12,30	10,20	9,05	8,—	7,25
	10	-M103-M	8729	11,10	9,45	7,75	6,95	6,10	5,55
M85/10%/4,7kΩ M85/20%/4,7kΩ M85/10%/10kΩ M85/20%/10kΩ M85/10%/47kΩ M85/20%/47kΩ M85/10%/100kΩ M85/20%/100kΩ	R <sub>25</sub> 4,7	Q63085- -M472-K	72103	14,50	12,30	10,20	9,05	8,—	7,25
	4,7	-M472-M	72104	11,10	9,45	7,75	6,95	6,10	5,55
	10	-M103-K	72105	14,50	12,30	10,20	9,05	8,—	7,25
	10	-M103-M	72106	11,10	9,45	7,75	6,95	6,10	5,55
	47	-M473-K	72107	14,50	12,30	10,20	9,05	8,—	7,25
	47	-M473-M	72108	11,10	9,45	7,75	6,95	6,10	5,55
	100	-M104-K	72109	14,50	12,30	10,20	9,05	8,—	7,25
	100	-M104-M	72110	11,10	9,45	7,75	6,95	6,10	5,55
	R <sub>20</sub> 100 k	Q63081- -M2104-K	72111	29,80	25,30	20,90	18,60	16,40	14,90
	100 k	-M2104-M	7448	22,80	19,40	16,—	14,30	12,50	11,40

Die Preisangaben sind ohne Mehrwertsteuer, bei Wiederverkauf nur unverbindliche Preisempfehlungen.

Die Preisangaben sind ohne Mehrwertsteuer, bei Wiederverkauf nur unverbindliche Preisempfehlungen.



M 820 (∅5 × 2,2)




M 822 (∅5)


Typ	Widerstands-wert Ω	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 4999
M820/S1/39,6 Ω	R <sub>100</sub> 39,6 <sup>1)</sup>	Q63082-M39-S106	72112	1,40	1,19	-,98	-,88	-,77	-,70
M822/10%/1k Ω	R <sub>25</sub> 1 k	Q63082-M2102-K	72114	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/1,5k Ω	1,5 k	-M2152-K	72115	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/2,2k Ω	2,2 k	-M2222-K	72116	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/3,3k Ω	3,3 k	-M2332-K	72117	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/4,7k Ω	4,7 k	-M2472-K	72118	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/6,8k Ω	6,8 k	-M2682-K	72119	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/10k Ω	10 k	-M2103-K	72120	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/15k Ω	15 k	-M2153-K	72121	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/22k Ω	22 k	-M2223-K	72122	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/33k Ω	33 k	-M2333-K	72123	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/47k Ω	47 k	-M2473-K	72124	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/68k Ω	68 k	-M2683-K	72125	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/100k Ω	100 k	-M2104-K	72126	1,66	1,41	1,16	1,04	-,91	-,83
M822/10%/150k Ω	150 k	-M2154-K	72127	1,66	1,41	1,16	1,04	-,91	-,83
M822/S2/9,4k Ω	R <sub>30</sub> 9,4 k <sup>2)</sup>	Q63082-M9-S204	72128	4,12	3,50	2,88	2,58	2,27	2,06

1) Toleranz ±5%

2) Toleranz ±3,5%



M 831/832 (∅ 9 × 40)




M 843 (∅ 3 × 1,5)

M 847 (∅ 4 × 100)

Typ	Widerstands-wert kΩ	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
M831/10%/1kΩ/2,1	R <sub>25</sub> 1	Q63483-M1001-K40	72129	9,50	8,05	6,65	5,95	5,20	4,74
M831/10%/1,5kΩ/2,1	1,5	Q63483-M1001-K45	72130	9,50	8,05	6,65	5,95	5,20	4,74
M831/10%/3,3kΩ/2,1	3,3	Q63483-M1003-K43	72131	9,50	8,05	6,65	5,95	5,20	4,74
M831/10%/6,8kΩ/2,1	6,8	-M1006-K48	72132	9,50	8,05	6,65	5,95	5,20	4,74
M831/10%/10kΩ/2,1	10	-M1010-K40	72134	9,50	8,05	6,65	5,95	5,20	4,74
M831/S1/22kΩ/2,1 <sup>1)</sup>	22	-M1022-K40	72135	9,85	8,40	6,90	6,15	5,40	4,93
M831/S1/2kΩ /0,5 <sup>2)</sup>	R <sub>25</sub> 2	Q63383-M1002-S14	72136	9,50	8,05	6,65	5,95	5,20	4,74
M831/S1/9,4kΩ /2,1 <sup>1)</sup>	R <sub>30</sub> 9,4	Q63483-M1009-S144	72137	9,85	8,40	6,90	6,15	5,40	4,93
M832/S1/1,8kΩ <sup>1)</sup>	R <sub>100</sub> 1,8	Q83083-M2001-S148	72138	21,—	17,90	14,70	13,10	11,60	10,50
M832/S1/9,5kΩ <sup>1)</sup>	9,5	-M2009-S145	72139	21,—	17,90	14,70	13,10	11,60	10,50
M832/10%/22kΩ	R <sub>25</sub> 22	Q83083-M2022-K40	72140	20,20	17,20	14,10	12,60	11,10	10,10
M843/0,5%/1,598kΩ	R <sub>40</sub> 1,598k	Q63084-M3162-D	72161	10,50	8,95	7,35	6,55	5,80	5,25
M843/1%/1,598kΩ	1,598k	-M3162-F	72162	5,25	4,47	3,68	3,29	2,89	2,63
M843/2%/1,598kΩ	1,598k	-M3162-G	72163	3,70	3,15	2,59	2,31	2,04	1,85
M847/0,5%/3kΩ	R <sub>25</sub> 3 k	-M7302-D	72165	17,30	14,70	12,10	10,80	9,50	8,65

1) Toleranz ±10%

2) Toleranz ±3,5%



K 25 (SW 10 x 5)



K 154 (Ø 8,8 x 5)

Typ	Widerstands-wert Ω	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
	R <sub>20</sub>	Q63025-							
K25/20%/10Ω	10	-K100-M	8424	-94	-80	-66	-59	-52	-47
K25/20%/25Ω	25	-K250-M	8425	-94	-80	-66	-59	-52	-47
K25/20%/60Ω	60	-K600-M	8426	-94	-80	-66	-59	-52	-47
K25/20%/150Ω	150	-K151-M	8427	-94	-80	-66	-59	-52	-47
K25/20%/240Ω	240	-K241-M	8562	-94	-80	-66	-59	-52	-47
K25/20%/1kΩ	1 k	-K102-M	8428	-94	-80	-66	-59	-52	-47
K25/20%/6kΩ	6 k	-K602-M	8429	-94	-80	-66	-59	-52	-47
K25/20%/40kΩ	40 k	-K403-M	72141	-94	-80	-66	-59	-52	-47
		Q63015-							
K154/20%/4Ω	4	-K4040-M	8432	-64	-54	-45	-40	-35	-32
K154/20%/10Ω	10	-K4100-M	8433	-64	-54	-45	-40	-35	-32
K154/20%/20Ω	20	-K4200-M	8434	-64	-54	-45	-40	-35	-32
K154/20%/40Ω	40	-K4400-M	8435	-64	-54	-45	-40	-35	-32
K154/20%/100Ω	100	-K4101-M	8436	-64	-54	-45	-40	-35	-32
K154/20%/150Ω	150	-K4151-M	8437	-64	-54	-45	-40	-35	-32
K154/20%/250Ω	250	-K4251-M	8438	-64	-54	-45	-40	-35	-32
K154/20%/500Ω	500	-K4501-M	8439	-64	-54	-45	-40	-35	-32
K154/20%/1kΩ	1 k	-K4102-M	8440	-64	-54	-45	-40	-35	-32
K154/20%/2kΩ	2 k	-K4202-M	8441	-64	-54	-45	-40	-35	-32
K154/20%/5kΩ	5 k	-K4502-M	8442	-64	-54	-45	-40	-35	-32
K154/20%/10kΩ	10 k	-K4103-M	8443	-64	-54	-45	-40	-35	-32
K154/20%/25kΩ	25 k	-K4253-M	8563	-64	-54	-45	-40	-35	-32
K154/20%/60kΩ	60 k	-K4603-M	8444	-64	-54	-45	-40	-35	-32

Die Preisangaben sind ohne Mehrwertsteuer, bei Wiederverkauf nur unverbindliche Preisempfehlungen.



K 164 (Ø 5)

Typ	Widerstands-wert Ω	Bestell-bezeichnung	Lager-Nr.	Preise in DM je Stück					
				1 bis 19	20 bis 49	50 bis 99	100 bis 249	250 bis 499	500 bis 999
	R <sub>25</sub>	Q63016-							
K164/20%/6,8Ω	6,8	-K4006-M8	7414	-64	-54	-45	-40	-35	-32
K164/20%/10Ω	10	-K4010-M	7415	-64	-54	-45	-40	-35	-32
K164/20%/15Ω	15	-K4015-M	7416	-64	-54	-45	-40	-35	-32
K164/20%/22Ω	22	-K4022-M	7417	-64	-54	-45	-40	-35	-32
K164/20%/33Ω	33	-K4033-M	7418	-64	-54	-45	-40	-35	-32
K164/20%/47Ω	47	-K4047-M	7419	-64	-54	-45	-40	-35	-32
K164/20%/68Ω	68	-K4068-M	7420	-64	-54	-45	-40	-35	-32
K164/20%/100Ω	100	-K4100-M	7421	-64	-54	-45	-40	-35	-32
K164/20%/150Ω	150	-K4150-M	7422	-64	-54	-45	-40	-35	-32
K164/20%/220Ω	220	-K4220-M	7423	-64	-54	-45	-40	-35	-32
K164/20%/330Ω	330	-K4330-M	7424	-64	-54	-45	-40	-35	-32
K164/20%/470Ω	470	-K4470-M	7425	-64	-54	-45	-40	-35	-32
K164/20%/680Ω	680	-K4680-M	7426	-64	-54	-45	-40	-35	-32
K164/20%/1kΩ	1 k	-K4001-M40	7427	-64	-54	-45	-40	-35	-32
K164/20%/1,5kΩ	1,5 k	-K4001-M45	7428	-64	-54	-45	-40	-35	-32
K164/20%/2,2kΩ	2,2 k	-K4002-M42	7429	-64	-54	-45	-40	-35	-32
K164/20%/3,3kΩ	3,3 k	-K4003-M43	7430	-64	-54	-45	-40	-35	-32
K164/20%/4,7kΩ	4,7 k	-K4004-M47	7431	-64	-54	-45	-40	-35	-32
K164/20%/6,8kΩ	6,8 k	-K4006-M48	7432	-64	-54	-45	-40	-35	-32
K164/20%/10kΩ	10 k	-K4010-M40	7433	-64	-54	-45	-40	-35	-32
K164/20%/15kΩ	15 k	-K4015-M40	7434	-64	-54	-45	-40	-35	-32
K164/20%/22kΩ	22 k	-K4022-M40	7435	-64	-54	-45	-40	-35	-32
K164/20%/33kΩ	33 k	-K4033-M40	7436	-64	-54	-45	-40	-35	-32
K164/20%/47kΩ	47 k	-K4047-M40	7437	-64	-54	-45	-40	-35	-32
K164/20%/68kΩ	68 k	-K4068-M40	7438	-64	-54	-45	-40	-35	-32
K164/20%/100kΩ	100 k	-K4100-M40	7439	-64	-54	-45	-40	-35	-32
K164/20%/150kΩ	150 k	-K4150-M40	72142	-64	-54	-45	-40	-35	-32
K164/20%/470kΩ	470 k	-K4470-M40	72143	-64	-54	-45	-40	-35	-32

Die Preisangaben sind ohne Mehrwertsteuer, bei Wiederverkauf nur unverbindliche Preisempfehlungen.