

NTC Inrush Current Limiters

Selection guide






Date: November 2015

© EPCOS AG 2015. Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

EPCOS AG is a TDK Group Company.

Selection guide

NTC thermistors for inrush current limiting

Type	T_A °C	R_{25} Ω	P_{max} W	I_{max} A	Page
 B57153... S153 series	-55 ... 170	4.7 ... 33	1.4	1.3 ... 3.0	
 B57235... S235 series	-55 ... 170	2.5 ... 10	1.8	3.0 ... 5.2	
 B57236... S236 series	-55 ... 170	2.2 ... 120	2.1	1.5 ... 6.0	
 B57211P... P11 series	-40 ... 170	1.0 ... 120	3.0	1.5 ... 7.0	
 B57213P... P13 series	-40 ... 170	1.0 ... 120	3.8	2.0 ... 7.5	
 B57237... S237 series	-55 ... 170	1.0 ... 60	3.1	2.0 ... 9.0	
 B57238... S238 series	-55 ... 170	2.5 ... 25	3.9	3.4 ... 8.4	
 B57364... S364 series	-55 ... 170	1.0 ... 10	5.1	7.5 ... 16	
 B57464... S464 series	-55 ... 170	1.0 ... 10	6.7	8.0 ... 20	
 B57127P... P27 series	-55 ... 170	0.5 ... 10	10	9.0 ... 24	

Please note: Both ink jet and laser markings are used. The products depicted show examples of the component marking.